

Disinfection Station



**Sanitize &
Stay Safe**



شركة الخليج للخدمات والتجهيزات الصناعية المحدودة ش.م.م.
GULF SERVICES & INDUSTRIAL SUPPLIES CO. L.L.C.

 +968 80078600

 www.arabigsis.com  cs@arabigsis.com

Disinfection Station



شركة الخليج للخدمات والتجهيزات الصناعية المحدودة ش.م.م.
GULF SERVICES & INDUSTRIAL SUPPLIES CO. L.L.C.

Arabi Company is proud to introduce its in house manufactured Disinfection Station, which will help the various entities to confirm sanitizing of the entrant's from any infectious particles on their clothes, shoes or body which the person may be carrying virus due to their exposure.



Application:

Disinfection unit is sanitizing the exposed body parts, clothes and shoes of the occupant.

Flexibility & Area's of use:

- Shopping Malls, Hospitals, Hypermarkets.
- Co-operative Societies.
- Accommodations and Hotels.
- Site offices and Construction area entrances.
- Commercial offices and parking.
- Airport luggage/ cargo conveyor belts.

Benefits of Disinfection Stations:

- Disinfection of personals or goods.
- Prevention of transmission of any virus to the premises.
- Effective, quick & convenient method for mass disinfection.



Sizing:

- Our standard unit sizing is 2mtrs (length) x 0.9mtr (width) x 2.2mtrs (height).
- Customized tunnel sizing can be provided as per client's entrance dimensions.
- Customized ramps can be fitted for co-operative societies and hypermarkets for Customers to pass with shopping trolleys.

Precautions:

- Usage of safe and recommended sanitizing solution.
- Eyes should be either closed or protected by goggles.
- Mask should be used to protect nose and mouth.

Models:

| Description | Basic | Standard | Deluxe |
|------------------------|--|---|--|
| Type |  |  |  |
| Sizing | 2 x 0.9 x 2.2 (Mtrs) | 2 x 0.9 x 2.2 (Mtrs) | 2 x 0.9 x 2.2 (Mtrs) |
| Station Structure | Metallic | Metallic | Metallic |
| Station Internal | - | - | Composite Aluminum Panels |
| Station Cover | Plastic Sheet | Composite Aluminum Panels | Composite Aluminum Panels |
| Roller Wheels | - | - | 4Nos. with lock |
| Chemical Tank | 90/35 Ltrs | 90/35 Ltrs | 90/35 Ltrs |
| Operation Mode | Manually Operated | Automatic (Motion Sensor) | Automatic (Motion Sensor) |
| Dryer Fan | - | - | 01Nos. |
| Illumination | - | - | IP55 |
| Drain Water Management | - | Collection Trench with Drain Mat | Collection Trench with Drain Mat |



+968 80078600



www.arabigsis.com



cs@arabigsis.com

وحدة التعقيم الذاتي



حافظ على سلامتك
عن طريق التعقيم



شركة الخليج للخدمات والتجهيزات الصناعية المحدودة ش.م.م.
GULF SERVICES & INDUSTRIAL SUPPLIES CO. L.L.C.

+968 80078600

www.arabigsis.com cs@arabigsis.com

تفتخر شركة عربي بتقديم وحدة التعقيم الذاتي، للمنشآت المختلفة، لتعقيم الأفراد الداخلين لها وخلوهم من أي جزيئات او فيروسات العالقة على ملابسهم أو أحذيتهم.



الاستخدام :

تقوم وحدة التعقيم بتعقيم أجزاء الجسم والملابس والأحذية الخاصة بالفرد.

أماكن أستخدام وحدة التعقيم :

- مراكز التسوق والمستشفيات ومحلات السوبر ماركت.
- الجمعيات التعاونية .
- الفنادق.
- مكاتب المواقع ومدخل مواقع البناء.
- المكاتب التجارية ومواقف السيارات.
- المطارات / أجهزة نقل الأمتعة.

فوائد وحدة التعقيم :

- تعقيم الأشخاص أو البضائع.
- تحدد من انتقال أي فيروس إلى المنشآت من الخارج.
- طريقة فعالة وسريعة وآمنة للتعقيم الشامل.

أحجام وحدة التعقيم :

- حجم الوحدة القياسي لدينا هو 2 متر (الطول) × 0.9 متر (العرض) × 2.2 متر (الارتفاع).
- يمكن تعديل حجم الوحدة وفقاً لأبعاد المدخل المطلوبة من قبل العميل.
- يمكن تركيب أجزاء منحدره مخصصة للاستخدام في الجمعيات التعاونية ومحلات السوبر ماركت، حيث تسمح للعملاء بتمرير عربات التسوق.



الاحتياطات التي يجب اتباعها:

- استخدام محلول تعقيم آمن وموصى به من قبل وزارة الصحة.
- يجب أن تكون العيون مغلقة أو محمية بواسطة نظارات واقية.
- يجب استخدام القناع لحماية الأنف والضم.

المواصفات

| ديلوكس | ستاندر | العادي | المواصفات |
|---|--|---|------------------------|
|  |  |  | النوع |
| ٢ x ٠,٩ x ٢,٢ (متر) | ٢ x ٠,٩ x ٢,٢ (متر) | ٢ x ٠,٩ x ٢,٢ (متر) | المقاس |
| ميتاليك | ميتاليك | ميتاليك | هيكل الوحدة الخارجي |
| لوحات الألمنيوم المركبة | - | - | هيكل الوحدة الداخلي |
| لوحات الألمنيوم المركبة | لوحات الألمنيوم المركبة | بلاستيك | غطاء الوحدة الخارجي |
| ٤ عجلات مع أقفال | - | - | عجلات تحريك الوحدة |
| ٣٥/٩٠ لتر | ٣٥/٩٠ لتر | ٣٥/٩٠ لتر | سعة خزان محلول التعقيم |
| أوتوماتيك (مستشعر حركة) | أوتوماتيك (مستشعر حركة) | يدوي | طريقة التشغيل |
| مروحة واحدة | - | - | مروحة التجفيف |
| IP55 | - | - | الإضاءة |
| مجري تجميع مع وحدة صرف | مجري تجميع مع وحدة صرف | - | آلية صرف المياه |



+968 80078600



www.arabigsis.com



cs@arabigsis.com